

COSC 462

OpenMP Introduction

Piotr Luszczek

OpenMP

- OpenMP is a standard
 - Freely available at www.openmp.org
 - Open Multi-Processing
- Supported languages
 - C
 - C++
 - Fortran
- Enabled during compilation
 - Intel, GNU, LLVM, ...
 - -fopenmp
 - -fopenmp=gomp
 - -fopenmp=iomp
 - Visual Studio
 - /openomp
- OpenMP is supported by modern compilers
 - GNU gcc, gfortran
 - GOMP
 - LLVM clang
 - In progress
 - Intel icc, ifc
 - iomp library
 - IBM xlc, xlf
 - Cray compiler
 - PGI compiler (now part of NVIDIA): pgcc, pgfortran
 - Microsoft Visual Studio
 - Not in Express version in 2010

OpenMP is a Threading Interface

- There are many thread APIs
 - POSIX threads
 - WinThreads
 - Intel Threading Building Blocks (TBB)
 - Cilk++
 - OpenMP
 - Java threads
 - ...
- Most of them are free or nearly so
- A lot of documentation available
 - Source code
 - Examples
 - Manuals
 - Tutorials
 - ...

Basic Premise of OpenMP

- Make development of threaded code
 - Easy
 - Incremental
 - Expose complex features when necessary
 - Direct locking of mutexes
 - Accessing vector units
 - Using accelerators

OpenMP is NOT

- Meant for distributed memory parallel systems (by itself)
 - It is often combined with MPI
- Implemented identically by all vendors
 - Despite a lot of code reuse and sharing of ideas
- Guaranteed to make the most efficient use of shared memory
- Required to check for:
 - data dependencies
 - data conflicts
 - race conditions, or
 - deadlocks
- Required to check conformance of user code
- Provide compiler-generated automatic parallelization and/or directives to the compiler to assist such parallelization
- Providing synchronous I/O to the same file when executed in parallel
 - The programmer is responsible for synchronizing I/O

History of OpenMP

- In the early 90's, vendors of shared-memory machines supplied similar, directive-based, Fortran programming extensions.
- The user would augment a serial Fortran program with directives specifying which loops were to be parallelized.
- The compiler would be responsible for automatically parallelizing such loops across the SMP processors.
- Implementations were all functionally similar, but were divergent.
- First attempt at a standard was the draft for ANSIX3H5 in 1994.
 - It was never adopted, largely due to waning interest as distributed memory machines became popular.
- The OpenMP standard specification started in the spring of 1997, taking over ANSI X3H5
 - Newer shared memory machine architectures started to become prevalent.
- Led by the OpenMP Architecture Review Board (ARB).

Goals of OpenMP

- Standardization
 - Provide a standard among a variety of shared memory architectures/platforms
- Lean and mean
 - Establish a simple and limited set of directives for programming shared memory machines
 - Significant parallelism can be implemented by using just 3 or 4 directives.
- Ease of Use
 - Provide capability to incrementally parallelize a serial program, unlike message-passing libraries which typically require an all or nothing approach
 - Provide the capability to implement both coarse-grain and fine-grain parallelism
- Portability
 - Supports Fortran (77, 90, and 95, 2003), C, and C++
- Public forum for API and membership

OpenMP Release History

- 1997
 - Version 1.0 for Fortran
- 1998
 - Version 1.0 for C/C++
- 1999
 - Version 1.1 for Fortran
- 2000
 - Version 2.0 for Fortran
- 2002
 - Version 2.0 for C/C++
- 2005
 - Version 2.5
- 2008
 - Version 3.0
- 2011
 - Version 3.1
- 2013
 - Version 4.0
- 2015
 - Version 4.5